Appendix 1

Arkansas Aviations Operations

March 2014 v1.r1

Arkansas Aviation Operation Plan
Primary & Secondary Airports

Airport Information

Walnut Ridge Regional

LATITUDE	LONGITUDE	ELEVATION
36° 07' 31.248"N	90° 55' 28.630"W	279'

RUNWAY	SURFACE	WIDTH	LENGTH	LANDING LENGTH	RWY LGTS	APPR LGTS	REIL	VASI	PATTERN
04-22	Concrete	150'	6001'	6001'-6001'	Med	N/N	N/N	N/N	Standard
13-31	Concrete	150'	5003'	5003'-5003'	N/N	N/N	N/N	N/N	Standard
18-36	Concrete	150'	5001'	5001'-5001'	Med	Y/N	Y/N	N/N	Standard

MANAGER: Ken Newcom
PHONE: (870)886-5432
FROM CITY: 4 Mi. Northeast

ATTENDED: Continuously
FUEL: 100LL, Jet A

AFSS: 1-800-992-7433
AWOS FREQ: 135.925
ATIS PHONE: (870)886-2537
RCO FREQ: 122.1R 114.5T

COMMUNICATIONS							
ATIS	CLNC DEL	GROUND	TOWER	APPROACH	CTAF	UNICOM	LIGHTS
				MEM 120.075	122.8	122.8	122.8

NAVIGATION				
TYPE	IDENT	FREQ	BEARING	DIST (NM)
VOR	ARG	114.5	054°	1.6
NDB	TNZ	227	180°	4.9

REMARKS: Major Repairs
For Service After Hours Call (870)886-5432 / 7226
Govt. Contract Fuel Avbl.

LATITUDE	LONGITUDE	ELEVATION
35° 12.64'N	91° 44.25'W	264'

RUNWAY	SURFACE	WIDTH	LENGTH	LANDING LENGTH	RWY LGTS	APPR LGTS	REIL	VASI	PATTERN
01-19	Asphalt	100'	6008'	6008'-6008'	Med	Y/N	N/Y	Y/Y	Standard

MANAGER: Phil Nilles
PHONE: (501)279-1080
FROM CITY: 3 Mi. South

ATTENDED: Daylight
FUEL: 100LL, Jet A

AFSS: 1-800-992-7433
AWOS FREQ: 128.325
AWOS PHONE: (501)268-4280
RCO FREQ:

COMMUNICATIONS							
ATIS	CLNC DEL	GROUND	TOWER	APPROACH	CTAF	UNICOM	LIGHTS
	119.75			LIT 119.75	122.7	122.7	122.7

NAVIGATION				
TYPE	IDENT	FREQ	BEARING	DIST (NM)
VOR	LIT	113.9	029°	38.7
LOM	CERCY	375	011°	4.9

REMARKS: Major Repairs
Credit Card Fuel 24 Hours
Intensive Flt. Training
Numerous Gyroplane Activities

LATITUDE			LONGITUDE			ELEVATION			
36° 22’ 24”N			92° 28’ 13.88”W			928’			
RUNWAY	**SURFACE**	**WIDTH**	**LENGTH**	**LANDING LENGTH**	**RWY LGTS**	**APPR LGTS**	**REIL**	**VASI**	**PATTERN**
05-23	Asphalt	75’	5001’	5001’-5001’	Med	N/N	N/N	N/Y	Standard

MANAGER:
PHONE: (870)481-5418
FROM CITY: 4 Mi. Northwest

ATTENDED: 0700-1830
FUEL: 100LL, Jet A

AFSS: 1-800-992-7433
AWOS FREQ: 133.975
AWOS PHONE: (870)481-5946
RCO FREQ:

COMMUNICATIONS							
ATIS	**CLNC DEL**	**GROUND**	**TOWER**	**APPROACH**	**CTAF**	**UNICOM**	**LIGHTS**
				MEM 126.85	123.0		123.0

NAVIGATION				
TYPE	**IDENT**	**FREQ**	**BEARING**	**DIST (NM)**
VOR	FLP	112.8	349°	4.2

REMARKS: Major Repairs

LATITUDE	LONGITUDE	ELEVATION
35° 43' 33.978"N	91° 38' 50.499"W	464'

RUNWAY	SURFACE	WIDTH	LENGTH	LANDING LENGTH	RWY LGTS	APPR LGTS	REIL	VASI	PATTERN
07-25 17-35	Asphalt Asphalt	150' 60'	6002' 3079'	6002'-6002' 3079'-2807'	Med None	N/N N/N	Y/N N/N	Y/Y N/N	Standard Standard

MANAGER: Mary Amos **ATTENDED:** 0730-1730 **AFSS:** 1-800-992-7433

PHONE: (870)251-1244 **AWOS FREQ:** 126.375

FROM CITY: 3 Mi. South **FUEL:** 100LL, Jet A **AWOS PHONE:** (870)251-1369

RCO FREQ: 122.25

COMMUNICATIONS							
ATIS	CLNC DEL	GROUND	TOWER	APPROACH	CTAF	UNICOM	LIGHTS
				MEM 126.85	122.8	122.8	122.8

NAVIGATION				
TYPE	IDENT	FREQ	BEARING	DIST (NM)
VOR	ARG	114.5	232°	40.9
NDB	INY	317	077°	7.1

REMARKS: Major Repairs
Fuel After Hours Call (870)251-2326 or (870)793-6669
Fee Charged

LATITUDE	LONGITUDE	ELEVATION
34° 36' 01.944"N	91° 34' 28.467"W	224'

RUNWAY	SURFACE	WIDTH	LENGTH	LANDING LENGTH	RWY LGTS	APPR LGTS	REIL	VASI	PATTERN
09-27	Concrete	150'	5002'	5002'-5002'	Med	N/N	N/N	N/Y	Standard
18-36	Asphalt	100'	6015'	6015'-6015'	Med	N/Y	Y/N	N/N	Standard

MANAGER: Carl Humphrey
PHONE: (870)673-2960
FROM CITY: 3 Mi. Southeast

ATTENDED: Nov-Jan 0800-2100
Feb-Oct 0800-1700
FUEL: 100LL, Jet A

AFSS: 1-800-992-7433
AWOS FREQ:119.025
ATIS PHONE:(870)673-1884
RCO FREQ:

COMMUNICATIONS							
ATIS	CLNC DEL	GROUND	TOWER	APPROACH	CTAF	UNICOM	LIGHTS
	LIT 123.7			LIT 135.4	122.8	122.8	122.8

NAVIGATION				
TYPE	IDENT	FREQ	BEARING	DIST (NM)
VOR	PBF	116.0	035°	27.4
NDB	SGT	269	166°	4.0

REMARKS: Minor Repairs
For Service After Hours Call (870)673-2360
Numerous Ag Ops Feb - Nov 500' AGL and Below

Little Rock National – Adams Field

LATITUDE	LONGITUDE	ELEVATION
34° 43' 46.2"N	92° 13' 27.6"W	262'

RUNWAY	SURFACE	WIDTH	LENGTH	LANDING LENGTH	RWY LGTS	APPR LGTS	REIL	VASI	PATTERN
04L-22R	Concrete	150'	8273'	7976'-8273'	High	Y/Y	N/N	N/N	RGT-22R
04R-22L	Concrete	150'	8250'	7200'-7200'	High	Y/Y	N/N	N/Y	RGT-4R
18-36	Concrete	150'	5124'	5024'-5024'	High	N/N	N/N	Y/Y	Standard

MANAGER: Interim
ATTENDED: Continuously
AFSS: 1-800-992-7433
PHONE: (501)372-3439
AWOS FREQ:
FROM CITY: 2 Mi. East
FUEL: 100LL - Jet A,B
ATIS PHONE: (501)376-0247
RCO FREQ: 122.55

COMMUNICATIONS							
ATIS	CLNC DEL	GROUND	TOWER	APPROACH	CTAF	UNICOM	LIGHTS
125.65	118.95	121.9	118.7	135.4 (042°-221°) 119.5 (222°-041°)		122.95	

NAVIGATION				
TYPE	IDENT	FREQ	BEARING	DIST (NM)
VOR	LIT	113.9	320°	3.8
LOM	LI	353	043°	5.4

REMARKS: Major Repairs
ASR-OX 1,3

LATITUDE	LONGITUDE	ELEVATION
34° 10' 29.954"N	91° 56' 04.933"W	206'

RUNWAY	SURFACE	WIDTH	LENGTH	LANDING LENGTH	RWY LGTS	APPR LGTS	REIL	VASI	PATTERN
18-36	Asphalt	150'	5998'	5998'-5998'	Med	Y/N	N/N	Y/Y	Standard

MANAGER: Doug Hale
PHONE: (870)534-4131
FROM CITY: 4 Mi. Southeast

ATTENDED: 0800-1700
FUEL: 100LL, Jet A

AFSS: 1-800-992-7433
AWOS FREQ: 120.775
AWOS PHONE: (870)536-0228
RCO FREQ: 122.6

COMMUNICATIONS							
ATIS	CLNC DEL	GROUND	TOWER	APPROACH	CTAF	UNICOM	LIGHTS
	LIT 119.85			LIT 119.85	123.0	123.0	123.0

NAVIGATION				
TYPE	IDENT	FREQ	BEARING	DIST (NM)
VOR	PBF	116.0	182°	4.4

REMARKS: Major Repairs
Credit Card Fuel 24 Hours
For Service After Hours Call (870)540-9439

LATITUDE	LONGITUDE	ELEVATION
35° 20' 11.730"N	94° 22' 02.768"W	469'

RUNWAY	SURFACE	WIDTH	LENGTH	LANDING LENGTH	RWY LGTS	APPR LGTS	REIL	VASI	PATTERN
01-19	Asphalt	150'	5002'	5002'-5002'	Med	N/N	N/N	N/Y	Standard
07-25	Asphalt	150'	8000'	8000'-8000'	High	Y/Y	N/N	N/Y	Standard

MANAGER: Kent Penney **ATTENDED:** 0800-1700 **AFSS:** 1-800-992-7433

PHONE: (479)452-7000 ext. 50 **AWOS FREQ:**

FROM CITY: 3 Mi. Southeast **FUEL:** 100LL, Jet A **ATIS PHONE:** (479)646-2504

RCO FREQ: 122.2

COMMUNICATIONS							
ATIS	CLNC DEL	GROUND	TOWER	APPROACH	CTAF	UNICOM	LIGHTS
126.3	133.85	121.9	118.3	RZC 120.9	118.3	122.95	118.3

NAVIGATION				
TYPE	IDENT	FREQ	BEARING	DIST (NM)
VOR	FSM	110.4	230°	5.6
LOM	FS	223	257°	7.5

REMARKS: Major Repairs
Rwy. 01-19 Restricted to Prop Aircraft unless Crosswinds
On Runway 07-25 exceeds Aircraft safe Operating Capacity

LATITUDE			LONGITUDE			ELEVATION			
34° 28' 40.922"N			93° 05' 46.350"W			540'			
RUNWAY	**SURFACE**	**WIDTH**	**LENGTH**	**LANDING LENGTH**	**RWY LGTS**	**APPR LGTS**	**REIL**	**VASI**	**PATTERN**
05-23 13-31	Asphalt Asphalt	150' 150'	6595' 4099'	6595' - 6105' 4099' – 4099'	High Med	Y/N N/N	N/N Y/N	N/Y N/N	RGT-5 RGT-13

MANAGER: George Downie **ATTENDED:** 0500-2200 **AFSS:** 1-800-992-7433

PHONE: (501)321-6750 **AWOS FREQ:** 119.925

FROM CITY: 3 Mi. Southwest **FUEL:** 100LL-Jet A **AWOS PHONE:** (501)624-7633

RCO FREQ: 122.1R – 110.0T

COMMUNICATIONS							
ATIS	**CLNC DEL**	**GROUND**	**TOWER**	**APPROACH**	**CTAF**	**UNICOM**	**LIGHTS**
				MEM 128.475	123.0	123.0	123.0

NAVIGATION				
TYPE	**IDENT**	**FREQ**	**BEARING**	**DIST (NM)**
VOR LOM	HOT HO	110.0 385	At Field 050°	 5.7

REMARKS: Major Repairs
PAPI Rwy. 23 OTS Indef.
For Service After Hours Call (501)609-1242 or (501)617-4908

LATITUDE	LONGITUDE	ELEVATION
35° 49' 52.269"N	90° 38' 47.098"W	262'

RUNWAY	SURFACE	WIDTH	LENGTH	LANDING LENGTH	RWY LGTS	APPR LGTS	REIL	VASI	PATTERN
05-23	Asphalt	150'	6200'	6200' – 6200'	Med	N/Y	Y/Y	N/Y	Standard
13-31	Asphalt	150'	4099'	4099' – 4099'	Med	N/N	Y/N	N/N	Standard

MANAGER: Philip Steed **ATTENDED:** 0600-2100 **AFSS:** 1-800-992-7433

PHONE: (870)935-8669 **AWOS FREQ:** 118.525

FROM CITY: 3 Mi. East **FUEL:** 100LL – Jet A **AWOS PHONE:** (870)932-4010

RCO FREQ:

COMMUNICATIONS							
ATIS	CLNC DEL	GROUND	TOWER	APPROACH	CTAF	UNICOM	LIGHTS
				MEM 120.075	123.6	123.0	ODALS-23 123.6

NAVIGATION				
TYPE	IDENT	FREQ	BEARING	DIST (NM)
VOR	JBR	108.6	226°	3.8

REMARKS: Major Repairs
Runway 05 REIL OTS Indef.

LATITUDE			LONGITUDE			ELEVATION			
35° 57' 51.760"N			89° 56' 36.420"W			254'			
RUNWAY	**SURFACE**	**WIDTH**	**LENGTH**	**LANDING LENGTH**	**RWY LGTS**	**APPR LGTS**	**REIL**	**VASI**	**PATTERN**
18-36	Concrete	150'	11602'	11602'-11602'	High	Y/Y	N/N	Y/Y	Standard

MANAGER: Jerry Vest
PHONE: (870)532-5628
FROM CITY: 3 Mi. Northwest

ATTENDED: 0800-1700
FUEL: 100LL, Jet A

AFSS: 1-800-992-7433
AWOS FREQ: (HKA) 135.025
AWOS PHONE: (870)763-8206
RCO FREQ:

COMMUNICATIONS							
ATIS	**CLNC DEL**	**GROUND**	**TOWER**	**APPROACH**	**CTAF**	**UNICOM**	**LIGHTS**
				MEM 134.65	122.7		112.7

NAVIGATION				
TYPE	**IDENT**	**FREQ**	**BEARING**	**DIST (NM)**
VOR	DYR	116.8	261°	30.7
VOR	GOJ	111.8	At Fld	

REMARKS: Major Repairs
Fuel Service After Hours Call (870)780-6455

LATITUDE	LONGITUDE	ELEVATION
35° 38' 15.784"N	91° 10' 34.952"W	239'

RUNWAY	SURFACE	WIDTH	LENGTH	LANDING LENGTH	RWY LGTS	APPR LGTS	REIL	VASI	PATTERN
04-22 18-36	Concrete Concrete	150' 150'	5002' 5002'	5002'-5002' 5002'-5002'	N/N Med	N/N N/N	N/N Y/Y	N/N Y/Y	Rgt 04 Rgt 36

MANAGER: Jim Martin
PHONE: (870)523-3613
FROM CITY: 5 Mi. Northeast

ATTENDED: 0800-1700
Sun 1300 - 1700
FUEL: 100LL, Jet A

AFSS: 1-800-992-7433
AWOS FREQ: 118.15
ATIS PHONE: (870)523-2189
RCO FREQ:

COMMUNICATIONS							
ATIS	CLNC DEL	GROUND	TOWER	APPROACH	CTAF	UNICOM	LIGHTS
				MEM 127.4	122.8	122.8	

NAVIGATION				
TYPE	IDENT	FREQ	BEARING	DIST (NM)
VOR NDB	ARG EWP	114.5 400	197° At Fld	30.3

REMARKS: Major Repairs
For Service After Hours Call (870)579-2351
Numerous Ag Ops Year Round

LATITUDE	LONGITUDE	ELEVATION
36° 15' 41.454"N	93° 09' 17.040"W	1365'

RUNWAY	SURFACE	WIDTH	LENGTH	LANDING LENGTH	RWY LGTS	APPR LGTS	REIL	VASI	PATTERN
18-36	Asphalt	150'	6161'	6161'-6161'	High	N/Y	Y/N	Y/Y	Standard

MANAGER: Judy McCutcheon
PHONE: (870)741--6954
FROM CITY: 3 Mi. Northwest

ATTENDED: Continuously
FUEL: 100LL, Jet A

AFSS: 1-800-992-7433
AWOS FREQ: 121.125
AWOS PHONE: (870)365-8550
RCO FREQ: 122.45

COMMUNICATIONS							
ATIS	CLNC DEL	GROUND	TOWER	APPROACH	CTAF	UNICOM	LIGHTS
				MEM 126.85	123.0	123.0	123.0

NAVIGATION				
TYPE	IDENT	FREQ	BEARING	DIST (NM)
VOR	HRO	112.5	136°	4.4
LOM	HR	233	360°	4.2

REMARKS: Minor Repairs
Deer and Birds on and invof Airport
Credit Card Fuel 24 Hours

LATITUDE	LONGITUDE	ELEVATION
35° 15' 32.502"N	93° 05' 35.523"W	403'

RUNWAY	SURFACE	WIDTH	LENGTH	LANDING LENGTH	RWY LGTS	APPR LGTS	REIL	VASI	PATTERN
07-25	Asphalt	75'	5094'	5094'-5094'	Med	N/N	Y/N	Y/N	Standard

MANAGER: Bobby Day
PHONE: (479)967-1227
FROM CITY: 2 Mi. Southeast

ATTENDED: 0800 - Dusk
FUEL: 100LL, Jet A

AFSS: 1-800-992-7433
AWOS FREQ: 132.475
AWOS PHONE: (479)98-2267
RCO FREQ:

COMMUNICATIONS							
ATIS	CLNC DEL	GROUND	TOWER	APPROACH	CTAF	UNICOM	LIGHTS
				MEM 128.475	122.7	122.7	122.7

NAVIGATION				
TYPE	IDENT	FREQ	BEARING	DIST (NM)
VOR	LIT	113.9	303°	57.0
NDB	RUE	379	At Fld	

REMARKS: Major repairs
For Service After Hours Call (479)331-3318 or (479)857-4074
Caution: Deer on and Invof Airport

Drake Field

LATITUDE	LONGITUDE	ELEVATION
36° 00' 18.389"N	94° 10' 12.236"W	1251'

RUNWAY	SURFACE	WIDTH	LENGTH	LANDING LENGTH	RWY LGTS	APPR LGTS	REIL	VASI	PATTERN
16-34	Asphalt	100'	6006'	6006'-6006'	Med	Y/Y	N/N	Y/Y	Standard

MANAGER: Ray Boudreaux
PHONE: (479)718-7640 ext. 5
FROM CITY: 3 Mi. South

ATTENDED: 0600-2200
FUEL: 100LL, Jet A
Mogas

AFSS: 1-800-992-7433
AWOS FREQ:
AWOS PHONE:
RCO FREQ:

COMMUNICATIONS							
ATIS	CLNC DEL	GROUND	TOWER	APPROACH	CTAF	UNICOM	LIGHTS
119.57		121.8	128.0	RZC 121.0	128.0	122.95	128.0

NAVIGATION				
TYPE	IDENT	FREQ	BEARING	DIST (NM)
VOR	DAK	108.8	142°	2.6

REMARKS: Minor Repairs
Credit Card Fuel 24 Hours
For Fuel After Hours (479)443-4343 Fee Charged

XNA FAYETTEVILLE/SPRINGDALE Northwest Ark. Regional

LATITUDE	LONGITUDE	ELEVATION
36° 16' 54.730"N	94° 18' 24.520"W	1287'

RUNWAY	SURFACE	WIDTH	LENGTH	LANDING LENGTH	RWY LGTS	APPR LGTS	REIL	VASI	PATTERN
16-34	Concrete	150'	8800'	8800'-8800'	High	Y/Y	N/N	Y/Y	Standard

MANAGER: Kelly Johnson
ATTENDED: Continuously
AFSS: 1-800-992-7433
PHONE: (479)205-1000 ext. 7
AWOS FREQ: 119.425
FROM CITY: 15 Mi. Northwest
FUEL: 100LL, Jet A
AWOS PHONE: (479)203-0109
RCO FREQ: 122.55

COMMUNICATIONS							
ATIS	CLNC DEL	GROUND	TOWER	APPROACH	CTAF	UNICOM	LIGHTS
		121.9	127.1	RZC 121.0	127.1	122.95	127.1

NAVIGATION				
TYPE	IDENT	FREQ	BEARING	DIST (NM)
VOR	RZC	116.4	279°	9.2

REMARKS: Bird Activity on and In Vicinity of Airport